

APPENDIX A.1**Pricing for Txshare Cooperative Purchase Program Participants**

For Pavement Analysis and Related Services, Contractor shall quote participating SHARE Entities the rates and/or discount required for a custom implementation of the services specified by the RFP. Contractor's proposed rates for related Pavement Analysis and Related Services are found below.

Category #	Description	Yes	No	Proposed % Discount
1	Pavement Data Collection	X		_____0_____%
2	Asset Inventory Management	X		_____0_____%
3	Pavement Management Analysis	X		_____0_____%
4	Electronic Products	X		_____0_____%
5	Pavement Structural Evaluations	X		_____0_____%
6	GIS Related Services	X		_____0_____%
7	Value Added Services	X		_____0_____%

RFP 2022-063 Pavement Analysis and Related Services
Attachment A (per Exhibit D) - Pricing Proposal Form

Proposed prices shall include all field inspectors, vehicles, tools, equipment, traffic control, contractor maintenance, and customer service support necessary to provide the desired services. Respondents must not include mobilization fees in their pricing and may not include them in any contract(s) that result from this RFP.

If a respondent elects to submit a percentage discount off their catalog pricing for any or all of their services, the corresponding price for each numbered activity listed in Attachment A must account for the proposed discount listed in Exhibit C. If you are not proposing a percentage-discount, please use your established list price for each of each numbered pavement analysis and related services activity.
 [Example: if your catalog price is \$100 per unit, and you indicate a 5% discount from catalog pricing in Exhibit C, your pricing form in Attachment A should reflect a unit price of \$95. Conversely, if your catalog price is \$100 per unit, and you indicate a 0% discount or N/A in Exhibit C, your pricing form in Attachment A should reflect a unit price of \$100.]

Service Category #1: Pavement Data Collection

Activity #	Activity Description	Unit	Provide Price Per Tiered Group				A	B	C=AB
			Unit Base Cost (\$)	Unit Cost (\$) ¹ D-200 Lane Miles	Unit Cost (\$) ² 200-700 Lane Miles	Unit Cost (\$) ³ 700+ Lane Miles			
1	Automatically and continuously measure pavement cracking, texture, rutting and geometrics. Equipment used for rut measurement shall be capable of measuring both wheel track ruts simultaneously.	Lane Mile ¹		70	70	70			0
2	Collect pavement surface distress and structural condition information through automated means for all Participant-owned roadways.	Lane Mile ¹		30	30	30			0
3	Provide a customized digital condition rating system to collect user defined severity/extent based pavement distresses and pertinent roadway attributes to accommodate a standardized approach to collecting data	Lump Sum	2,000						0
4	Collect dual-wheeled path roughness data to International Roughness Index standards.	Lane Mile ²		5	5	5			0
5	Collect pavement performance information that includes rutting using a minimum of seven (7) sensors (include pricing for nine (9) sensors as well), fatigue cracking, transverse cracking using a minimum of four (4) sensors, and longitudinal cracking	Lane Mile ¹		5	5	5			0
6	Perform friction testing	Lane Mile ¹		N/A	N/A	N/A			0
7	Measure lane striping reflectivity quality	Lane Mile ¹		50	50	50			0

Service Category #2: Asset Inventory

Activity #	Activity Description	Unit	Provide Price Per Tiered Group				A	B	C=AB
			Unit Base Cost (\$)	Unit Cost (\$) ¹ D-200 Lane Miles	Unit Cost (\$) ² 200-700 Lane Miles	Unit Cost (\$) ³ 700+ Lane Miles			
8	Collect sidewalk data to include location, length, width, location in relation to curb and if greenspaces exist between curb and sidewalk, and sidewalk condition to create shape (.shp) files for incorporation into the Participant's GIS system, if applicable	Lane Mile ¹		40	40	40			0
9	Collect sidewalk Barrier Free Ramp data to include location, configuration, presence of truncated domes or other detectable warning feature, and condition and create shape (.shp) files for incorporation into the Participant's GIS system, if applicable	Lane Mile ¹	30						0
10	Collect roadway sign data to include type and location and create shape (.shp) files for incorporation into the Participant's GIS system, if applicable.	Lane Mile ¹	40						0
11	Collect photos of Barrier Free Ramps, sidewalks, curb condition, drive approach, and/or roadway signs inventoried under items 8, 9, and 10 above.	Lane Mile ¹	1						0
12	Collect location of curb and gutter and create shape (.shp) files for incorporation into the Participant's GIS system, if applicable.	Linear Feet	0.01						0
13	Collect location and type of visible in-pavement features such as valves, manhole covers, etc. and create shape (.shp) files for incorporation into the Participant's GIS system, if applicable.	Lane Mile ¹	25						0
14	Collect locations of trees, including height and spread	Lane Mile ¹	40						0
15	Collect bike lane locations, including width, length, and associated signage and striping.	Linear Feet	0.01						0
16	Utilize Ground Penetrating Radar for relocating utilities (for maintenance plans).	Linear Feet	N/A						0
17	Collect data on location and surface condition of bridge approaches	Each	1000						0
18	Collect information on bridge deck condition	Each	3950						0
19	Perform Parking Lot Pavement Condition Assessment (Thru-Travel Lanes) w/ Inventory, Attribute, & Geodatabase Development	Square Yrd	1						0
20 (s-v) below:									
20a	Sign & Support Database Development (GPS & Camera Configuration):	Each	1000						0
20b	Markings & Striping Database Development	Each	2500						0
20c	Traffic Signals/ Flashers and Controllers Database Development	Each	2500						0
20d	Street Lights Database Development	Each	2500						0
20e	Drop Inlets Database Development	Each	1000						0
20f	Driveways Database Development	Each	2500						0
20g	Bridges Database Development	Each	1000						0
20h	Speed Humps Database Development	Each	2500						0
20i	Street Furniture Database Development	Each	2500						0
20j	Cattle Guards Database Development	Each	1000						0
20k	Guardrails & Roadside Pedestrian Fence Database Development	Each	2500						0
20l	Culverts and Ditches Database Development	Each	2500						0
20m	Cabinets Database Development	Each	2500						0

20n	Utility Poles Database Development	Each	2500						0
20o	Fire Hydrant Database Development	Each	2500						0
20p	Medians Database Development	Each	2000						0
20q	Valves Database Development	Each	1000						0
20r	Manhole Covers Database Development	Each	1000						0
20s	Trees Database Development	Each	1000						0
20t	Catch Basins/ Drainage Inlets from Master Drainage Plan Database Development	Each	1000						0
20u	Sidewalk Database Development	Each	1000						0
20v	Curb & Gutter Database Development	Each	1000						0

Service Category #3: Pavement Management Analysis

Activity #	Activity Description	Unit	Unit Base (\$)	Provide Price Per Tiered Group			Total Units	Agreed Upon Cost (\$)/Unit	Total Agreed Upon Cost (\$)
				Unit Cost (\$) 0-200 Lane Miles	Unit Cost (\$) 201-700 Lane Miles	Unit Cost (\$) 700+ Lane Miles			
21	Calculate the International Roughness Index (IRI) for each road segment in accordance with ASTM E1926. Provide results compatible with the Participant's GIS database, if applicable.	Lane Mile ¹		5	5	5			0
22	Calculate a Pavement Condition Index (PCI) score for each road segment using an approved pavement management system and in accordance with ASTM D6433 or ASTM E3303. Provide results compatible with the Participant's GIS database, if applicable.	Lane Mile ¹		5	5	5			0
23	With input from Participant's staff, devise a weighting system taking into account PCI, IRI, average daily traffic for thoroughfares (traffic count raw data provided by Participant), public safety emergency routes, and apply this 0-100 numeric index to the roadway information collected for the entire jurisdiction. Provide results compatible with the Participant's GIS database, if applicable. Cost includes base cost plus lane mile unit cost.	Lane Mile ¹	5000	1	1	1			0
24	Estimate the annual budget required to meet the long-term goals regarding desired pavement condition levels. Cost includes base cost plus lane mile unit cost.	Each Participant	5000	1	1	1			0
25	Create a five year and ten year pavement rehabilitation plan with input from Participant's staff. Cost includes base cost plus lane mile unit cost.	Each Participant	5000	1	1	1			0
26	Recommend the computer hardware and software needed for successful implementation, potentially including recommendations for licenses of pavement management system software and other geodatabase software as needed.	Each Participant	1000						0
27	Train Participant staff and provide assistance to the Public Works and IT Department as needed for the use of data collected through the fully automated system. (20 person maximum per class)	Day	2500						0

Service Category #4: Electronic Products

Activity #	Activity Description	Unit	Unit Base (\$)	Provide Price Per Tiered Group			Total Units	Agreed Upon Cost (\$)/Unit	Total Agreed Upon Cost (\$)
				Unit Cost (\$) 0-200 Lane Miles	Unit Cost (\$) 201-700 Lane Miles	Unit Cost (\$) 700+ Lane Miles			
28	Roadway information that shall be collected and provided to the Participant at a minimum includes items a. through i. in Exhibit B	Lane Mile ²		5	5	5			0
29	Collect digital images at 25-foot intervals of the road surface condition and link to a geodatabase (minimum forward facing imagery).	Lane Mile ¹		1	1	1			0
30	Load assessment data for all Participant-maintained pavements into a pavement management system required by local government Participant(s) if applicable. (Example: MicroPaver). The assessment data shall include visual observations, photographs and measurements collected by instrumentation. Cost includes base cost plus lane mile unit cost.	Each Participant	2000	1	1	1			0
31	Implement map module so that pavement condition and other data can be integrated, displayed, and accessed through the map interface in a format consistent with the Participant's horizontal and vertical control network system, if applicable. Cost includes base cost plus lane mile unit cost.	Each Participant	2000	1	1	1			0
32	Provide to the Participant the pavement condition data in a pavement management system database approved by Participant. Coordinate with the Participant's IT department to provide pavement condition data in a format compatible with the Participant's Environmental Systems Research Institute (ESRI) GIS database, if applicable. Cost includes base cost plus lane mile unit cost.	Each Participant	2000	1	1	1			0
33	Provide asset management tools or systems (not just collection) (i.e., 15-year plan about how to fix or repair assets). Cost includes base cost plus lane mile unit cost.	Each Participant	2000	1	1	1			0

Service Category #5: Pavement Structural Analysis

Activity #	Activity Description	Unit	Unit Base (\$)	Provide Price Per Tiered Group			Total Units	Agreed Upon Cost (\$)/Unit	Total Agreed Upon Cost (\$)
				Unit Cost (\$) 0-200 Lane Miles	Unit Cost (\$) 201-700 Lane Miles	Unit Cost (\$) 700+ Lane Miles			
34	Collect and analyze pavement structural condition information through the use of a falling weight deflectometer in accordance with industry standards on designated participant-owned roadways.	**							0
35	Collect and analyze pavement structural condition information through the use of Ground Penetrating Radar (GPR) in accordance with industry standards on designated participant-owned roadways.	**							0
36	Collect and analyze pavement structural condition information through the use of pavement cores in accordance with industry standards on designated participant-owned roadways (traffic control included) ¹	**							0

Service Category #6: GIS Related Services

Provide Price Per Tiered Group									Total Agreed Upon Cost (\$)	
A	B	A	B	A	B	A	B	A		B

Activity #	Activity Description	Unit	Unit Base Cost (\$)	Unit Cost (\$)				Total Units	Agreed Upon Cost (\$/Unit)	Total Agreed Upon Cost (\$)
				0-200 Lane Miles	201-700 Lane Miles	700+ Lane Miles	C-A+B			
37	GIS Clean-Up Services	Each Participant	2000						0	
38	GIS Support Services	Each Participant	2000						0	
39	GIS Remote Training Sessions from IMS GIS Manager/Expert (2-Hour Sessions)	Each Participant	2000						0	
Service Category #71: Value Added Services										
Provide Price Per Tiered Group										
40	Full Written Final Report- Firm shall prepare and submit a written project report summarizing the work performed, dates of collection, methodology, and results.	Each Participant	5000						0	
41	Project Presentation- Firm shall prepare and present a written project report summarizing the work performed, dates of collection, methodology, and results to the Participant's legislative body.	Each Participant	5000						0	
42	Provide Curb Ramp and ADA/Barrier Free Ramp Compliance Survey	Each Participant	5000						0	
43	Stand-alone field operation for collection of asset inventory only, with different levels of position accuracy and abilities to use data for attribute registration and conditions. Cost includes base cost plus lane mile unit cost. a. Photogrammetry b. Mobile Lidar	Lane Mile ¹	2000	50	50	50			0	
44	Generic asset types, allowing for any item within line of sight of the collection vehicle. Asset types include items a. through d. in Exhibit B. Cost includes base cost plus lane mile unit cost.	Lane Mile ¹	2000	25	25	25			0	
45	Provide consultancy services to develop linework in GIS for missing sidewalks in order to quantify and identify on a map	Hour	150						0	
TOTAL										0

¹ Lane mile is to be defined as a mile traveled as
 1. A single pass on alleyways
 2. A centered single pass on residential streets
 3. Includes the outside lane in each direction for collectors and arterials (2 total).

² Spacing for pavement cores to be negotiated with each participant.

** The awarded Contractor(s) shall provide all necessary field inspectors, vehicles, tools, equipment, traffic control and other services required to perform this work. No engineering services are available under this contract. Any activities that Participant and/or Contractor deem to require the service(s) of an engineer must be procured separately and are the sole responsibility of that party."