



## Aquana Utility Partner Price List AquaControl™ Platform AquaFlow™ SV2 Cellular



Aquana products are manufactured in Houston, Texas, USA at its parent company Geospace Technologies, Inc (NASDAQ: GEOS). Geospace maintains a 400,000 sqft manufacturing floor providing testing, assembly and fulfillment for Aquana products. More information about Geospace can be found here: [www.hydroprosolutions.com](http://www.hydroprosolutions.com)

Product SKU	Product Description	Price
<b>AQUACONTROL™ PLATFORM SAAS AND CONNECTIVITY REQUIRED</b>		
<b>AQUAFLOW™ SERVICEABLE VALVE - UNASSEMBLED KIT</b>		
<b>AQUAFLOW™ SV2 CELLULAR LTEM SMART VALVES - AT&amp;T (Serviceable Valve KIT)</b>		
<b>SV2-4-0-7-6-5-0-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 1/2", M/F Swl, Clip IP68, External Antenna Required	<b>\$525</b>

<b>SV2-4-0-7-6-5-1-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 1/2", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$535</b>
<b>SV2-4-0-1-6-5-0-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 3/4", M/F Swl, Clip IP68, External Antenna Required	<b>\$525</b>
<b>SV2-4-0-1-6-5-1-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 3/4", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$535</b>
<b>SV2-4-0-2-6-5-0-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 1", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-4-0-2-6-5-1-0</b>	AquaFlow™ SV2, LTEM AT&T (KIT) Serviceable, 1", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>

#### **AQUAFLOW™ SV2 CELLULAR LTEM SMART VALVES - VERIZON (Serviceable Valve KIT)**

<b>SV2-3-0-7-6-5-0-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 1/2", M/F Swl, Clip IP68, External Antenna Required	<b>\$525</b>
<b>SV2-3-0-7-6-5-1-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 1/2", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$535</b>
<b>SV2-3-0-1-6-5-0-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 3/4", M/F Swl, Clip IP68, External Antenna Required	<b>\$525</b>
<b>SV2-3-0-1-6-5-1-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 3/4", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$535</b>
<b>SV2-3-0-2-6-5-0-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 1", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-3-0-2-6-5-1-0</b>	AquaFlow™ SV2, LTEM Verizon (KIT) Serviceable, 1", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>

### **AQUAFLOW™ SERVICEABLE VALVE - ASSEMBLED**

#### **AQUAFLOW™ SV2 CELLULAR LTEM SMART VALVES - AT&T (Serviceable Valve - Assembled)**

<b>SV2-4-0-7-6-5-0-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 1/2", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-4-0-7-6-5-1-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 1/2", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>

<b>SV2-4-0-1-6-5-0-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 3/4", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-4-0-1-6-5-1-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 3/4", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>
<b>SV2-4-0-2-6-5-0-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 1", M/F Swl, Clip IP68, External Antenna Required	<b>\$625</b>
<b>SV2-4-0-2-6-5-1-1</b>	AquaFlow™ SV2, LTEM AT&T Serviceable, 1", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$635</b>
<b>AQUAFLOW™ SV2 CELLULAR LTEM SMART VALVES - VERIZON (Serviceable Valve - Assembled)</b>		
<b>SV2-3-0-7-6-5-0-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 1/2", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-3-0-7-6-5-1-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 1/2", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>
<b>SV2-3-0-1-6-5-0-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 3/4", M/F Swl, Clip IP68, External Antenna Required	<b>\$575</b>
<b>SV2-3-0-1-6-5-1-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 3/4", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$585</b>
<b>SV2-3-0-2-6-5-0-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 1", M/F Swl, Clip IP68, External Antenna Required	<b>\$625</b>
<b>SV2-3-0-2-6-5-1-1</b>	AquaFlow™ SV2, LTEM Verizon Serviceable, 1", M/F Swl, Clip IP68, Ext Antenna Req, Nicor (AMR3)	<b>\$638</b>
<b>AQUAFLOW™ SV2 KIT PARTS</b>		
<b>SV2-4-0-A-X-5-0</b>	AquaFlow™ SV2 Controller Cellular LTE-M, AT&T IP68, External Antenna Required (Valve & Clip Sold Separately)	<b>\$480</b>
<b>SV2-4-0-A-X-5-1</b>	AquaFlow™ SV2 Controller Cellular LTE-M, AT&T, Nicor (AMR3) IP68, External Antenna Required (Valve & Clip Sold Separately)	<b>\$490</b>
<b>SV2-3-0-A-X-5-0</b>	AquaFlow™ SV2 Controller Cellular LTE-M, Verizon IP68, External Antenna Required (Valve & Clip Sold Separately)	<b>\$480</b>

<b>SV2-3-0-A-X-5-1</b>	AquaFlow™ SV2 Controller Cellular LTE-M, Verizon, Nicor (AMR3) IP68, External Antenna Required (Valve & Clip Sold Separately)	<b>\$490</b>
<b>213-11600-02</b>	AquaFlow™ SV2 Locking Clip 1 required per AVS	<b>\$5</b>
<b>116-00525-NPSM</b>	AquaFlow™ SV2 Ball Valve 1/2", M/F Swl, NPSM	<b>\$35</b>
<b>116-00526-NPSM</b>	AquaFlow™ SV2 Ball Valve 3/4", M/F Swl, NPSM	<b>\$43</b>
<b>116-00527-NPSM</b>	AquaFlow™ SV2 Ball Valve 1", M/F Swl, NPSM	<b>\$70</b>
<b>AQUACONTROL™ PLATFORM SAAS AND CONNECTIVITY SERVICE PLANS</b>		
AQ005	Aquana Utility SaaS Plan A (per valve, per year)	\$30
AQ006	Aquana Utility SaaS Plan B (per valve, per year)	\$15
AQ002	Cellular LTEM Connectivity (per valve, per year)	\$30
<b>AQUAFLOW™ SV2 EXTERNAL ANTENNA &amp; ACCESSORIES</b>		
450-05920-05	Aquana Multiband Antenna TTL, cap, nut, 5' cable	\$113
461-05790-01	Antenna Mounting Bracket for inside set applications Includes (2) screws/anchors	\$19
213-11520-02	AMR3 (Nicor) Waterproof Cap	\$2
116-00446	Gasket, EPDM, 1/16" thickness 5/8"x1/2"x5.1" Meter to 5/8" Valve	\$4
116-00432	Gasket, EPDM, 1/16" thickness 5/8"x3/4"x5.1" Meter to 3/4" Valve	\$4
116-00447	Gasket, EPDM, 1/16" thickness 1" Meter to 1" Valve	\$3
116-00448	Gasket, EPDM, 1/8" thickness 5/8"x1/2"x5" Meter to 5/8" Valve	\$2
116-00449	Gasket, EPDM, 1/8" thickness 5/8"x3/4"x5" Meter to 3/4" Valve	\$5
116-00450	Gasket, EPDM, 1/8" thickness 1" Meter to 1" Valve	\$6

<b>Mobiltex Part #</b>	
<b>AGCR10011000</b>	<b>PFM1.</b> Cellula Includ
<b>AGCR10111000</b>	<b>PFM1.</b> Cellula Includ
<b>AGCR11011000</b>	<b>PFM1.</b> Cellula Includ
<b>AGCR11111000</b>	<b>PFM1.</b> Cellula Includ
<b>AGCR13011000</b>	<b>PFM1.</b> Cellula Includ
<b>AGCR13111000</b>	<b>PFM1.</b> Cellula Includ
<b>***One Pr</b>	
<b>A15000GCR01</b>	<b>IrDA F</b> USB to
<b>H3520100150</b>	Femal
<b>H3550161114</b>	1/4" fe
<b>E012B5006AA</b>	Cellula
<b>E012D00A0AA</b>	Cellula
<b>E010B0022AA</b>	Cellula
<b>A01100YB001</b>	Cellula
<b>E013B0002BA</b>	GPS A
<b>E01380TANGO</b>	GPS A
<b>W01551PFL01</b>	Flow ir
<b>W01G50GCR02</b>	Coiled
<b>W01G50GCR03</b>	Rigid t
<b>O03609MBT02</b>	Extern

E012B5006AA	Cellula
E012D00A0AA	Cellula
E010B0022AA	Cellula
A01100YB001	Cellula
E013B0002BA	GPS A
E01380TANGO	GPS A
O03609MBT02	Replac
B02440S2655	PFM1
GCRSETUP1	GCRV ***Plea
	Data
GCR1PLAN011	Non-T
GCR1PLAN012	Non-T
	Data
GCR1PLAN021	Transi
GCR1PLAN022	Transi

PFL  
1

Mobiltex Part #	
A1506040001	
A20A0040001	
A1506040002	
A20A0040002	
PROGRAMME	
***	

A15000GCR01
H3520100150
H3550161114
W01551PFL01
W01G50GCR02
W01G50GCR03

Items in this	
Mobiltex Part #	
AGCR12011000	PFM1. Cellula Include battery
AGCR12111000	PFM1. Cellula Include battery
A20A80GCR06	PRV M
A20A80GCR09	PRV Ir Include
A15000GCR02	PRV F
***One Pr	
A15000GCR01	IrDA F USB to
H3520100150	Femal
H3550161114	1/4" fe
E012B5006AA	Cellula
E012D00A0AA	Cellula
E010B0022AA	Cellula
A01100YB001	Cellula
E013B0002BA	GPS A

<b>E01380TANGO</b>	GPS A
<b>W01551PFL01</b>	Flow in
<b>W01G50GCR02</b>	Coiled
<b>W01G50GCR03</b>	Rigid h
<b>O03609MBT02</b>	Extern
<b>E012B5006AA</b>	Cellula
<b>E012D00A0AA</b>	Cellula
<b>E010B0022AA</b>	Cellula
<b>A01100YB001</b>	Cellula
<b>E013B0002BA</b>	GPS A
<b>E01380TANGO</b>	GPS A
<b>O03609MBT02</b>	Replac
<b>B02440S2655</b>	PFM1
<b>GCRSETUP1</b>	GCRV ***Plea
<b>Data</b>	
<b>GCR1PLAN01</b>	PRV M
<b>GCR1PLAN02</b>	PRV M
<b>Mobiltex Part #</b>	
<b>O2911102005</b>	<b>4" Pip</b> Suitab
<b>O2912202005</b>	<b>6" Pip</b> Suitab
<b>O2913303005</b>	<b>8" Pip</b> Suitab
<b>O2914404005</b>	<b>10" Pi</b> Suitab
<b>O2915505005</b>	<b>12" Pi</b> Suitab
<b>O2926606005</b>	<b>14" Pi</b> Suitab
<b>O2927707005</b>	<b>16" Pi</b> Suitea
<b>O2927708005</b>	<b>18" Pi</b> Suitab



<b>O2927709005</b>	<b>20" Pi</b> Suitab
<b>O2928811005</b>	<b>24" Pi</b> Suitab
<b>O2929917005</b>	<b>36" Pi</b> Suitab
<b>O292AA20005</b>	<b>42" Pi</b> Suitab
<b>O292BB23005</b>	<b>48" Pi</b> Suitab
<b>O292CC25005</b>	<b>54" Pi</b> Suitab
<b>O292DD29005</b>	<b>60" Pi</b> Suitab
<b>W01551PFL02</b>	Flow-T
<b>O30110NT020</b>	Torpet
<b>O304505COM1</b>	Torpet
<b>O3036000014</b>	Torpet
<b>O3022000010</b>	Pipe C
<b>O3023000015</b>	Pipe C
<b>O3024000020</b>	Pipe C

## HARDWARE

Items in this section are included in Pricing Agreements.  
Please see the Installation Accessories section for more options.

### REMOTE DATA LOGGERS

Antenna Selection Required for Communication

#### -PF

ar Communication - **Requires Antenna**

es: Standard logger with single (1x) **internal** pressure port & single (1x) flow port & LCD display.

#### -PxP

ar Communication - **Requires Antenna**

es: Standard logger with single (1x) **external** pressure port & single (1x) flow port & LCD display

#### A-PxP

ar Communication - **Requires Antenna**

es: Advanced logger with dual (2x) **internal** pressure ports & dual (2x) flow ports & LCD display

#### A-PxPxP

ar Communication - **Requires Antenna**

es: Advanced logger with dual (2x) **external** pressure ports & dual (2x) flow ports & LCD display

### TRANSIENT DATA LOGGERS

Antenna Selection Required for Communication

#### T-PF

ar Communication - **Requires Antenna**

es: Transient logger with single (1x) **internal** pressure port & single (1x) flow port & LCD display

#### T-PxP

ar Communication - **Requires Antenna**

es: Transient logger with single (1x) **external** pressure port & single (1x) flow port & LCD display

### PROGRAMMERS

rogramming Configuration Interface strongly recommended per customer / system or installation technician.

#### rogrammer

IrDA communication cable. Allows for configuration using Windows based PC

### INSTALLATION ACCESSORIES

quick connect fitting with 1/4" BSP male thread

male BSP to 1/4" male NPT adaptor for use w/ quick connect fittings

ar Antenna - Option 1 - "Whip" Style - 4G Magnetic Mount Antenna

ar Antenna - Option 2 - "Hinge" Style - 4G External Cellular

ar/GPS Antenna - Option 3 - "Puck" Style - Surface LTE,GNSS Screw Mount

ar/GPS Antenna - Option 4 - "Stub" Style - LTE, GNSS Terminal Mount

Antenna - EXT,GNSS TERMINAL ANTENNA

Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT

put cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models

hose extension with quick release fittings

hose extension with quick release fittings

ial Pressure Transducer for 3rd PFM1-A pressure port.

### REPLACEMENT PARTS

Antenna - Option 1 - "Whip" Style - 4G Magnetic Mount Antenna
Antenna - Option 2 - "Hinge" Style - 4G External Cellular
Antenna/GPS Antenna - Option 3 - "Puck" Style - Surface LTE,GNSS Screw Mount
Antenna/GPS Antenna - Option 4 - "Stub" Style - LTE, GNSS Terminal Mount
Antenna - EXT,GNSS TERMINAL ANTENNA
Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT
Cement external Pressure Transducer for PFM1-A pressure port. (Requires Factory Calibration)
Battery Replacement - Note: 2x required for PFM1 replacement

## DATA SERVICES

### NEW GCRVIEW SETUP

View configuration and setup - One time per new GCRView region  
 Please request an "Information for GCRView Account Setup" form\*\*\*

### PFM1 CELLULAR

#### Service Plans:

Transient cellular annual data hosting services - 1 year - Max. 8 calls per day.

Transient cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload).

### PFM1-T (Transient) CELLULAR

#### Service Plans:

Transient cellular annual data hosting services - 1 year - Max. 8 calls per day.

Transient cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload)

## HARDWARE

Items in this section are included in Pricing Agreements.  
 Please see the Installation Accessories section for additional options.

### LOCAL DATA LOGGERS

#### PFL1

Local Communication

Includes: Portable logger with single (1x) **internal** pressure port & single (1x) flow port

#### PFL1 - Kit

Local Communication

Includes: Portable logger with single (1x) **internal** pressure port & single (1x) flow port, flow input cable (W01551PF) connect fittings (H3520100150 & H3550161114)

#### PFL1-X

Local Communication

Includes: Portable logger with single (1x) **external** pressure port & single (1x) flow port

#### PFL1-X - Kit

Local Communication

Includes: Portable logger with single (1x) **external** pressure port & single (1x) flow port, flow input cable (W01551PF) connect fittings (H3520100150 & H3550161114)

**One Programming Configuration Interface strongly recommended per customer / system or installation tech**

### IrDA Programmer

USB to IrDA communication cable. Allows for configuration using Windows based PC

### INSTALLATION ACCESSORIES

Female quick connect fitting with 1/4" BSP male thread

1/4" female BSP to 1/4" male NPT adaptor for use w/ quick connect fittings

Flow input cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models

Coiled hose extension with quick release fittings

Rigid hose extension with quick release fittings

### HARDWARE

These items are included in Pricing Agreements. Please see the Additional Parts section for more options.

### REMOTE PRESSURE MANAGERS

Antenna Selection Required for Communication

#### AC-PPFF

For Communication - **Requires Antenna**

Features: Advanced logger for full modulation PRV manager with dual (2x) **internal** pressure ports & dual (2x) flow port with 1/4" NPT / pack for solenoids

#### AC-PxPxFF

For Communication - **Requires Antenna**

Features: Advanced logger for full modulation PRV manager with dual (2x) **external** pressure ports & dual (2x) flow port with 1/4" NPT / pack for solenoids

### PRV Management Hardware

Management System Solenoid Box for use with PFM1-AC

Installation Kit

Includes: (3-way valve, filters, misc. connectors)

Pilot - Hydraulic Actuator - 3/8" MPT Pilot Screw

### PROGRAMMERS

Programming Configuration Interface strongly recommended per customer / system or installation technician.

#### Programmer

USB to IrDA communication cable. Allows for configuration using Windows based PC

### INSTALLATION ACCESSORIES

Female quick connect fitting with 1/4" BSP male thread

1/4" female BSP to 1/4" male NPT adaptor for use w/ quick connect fittings

Cellular Antenna - Option 1 - "Whip" Style - 4G Magnetic Mount Antenna

Cellular Antenna - Option 2 - "Hinge" Style - 4G External Cellular

Cellular/GPS Antenna - Option 3 - "Puck" Style - Surface LTE,GNSS Screw Mount

Cellular/GPS Antenna - Option 4 - "Stub" Style - LTE, GNSS Terminal Mount

Cellular Antenna - EXT,GNSS TERMINAL ANTENNA

Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT
Input cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models
Hose extension with quick release fittings
Hose extension with quick release fittings
External Pressure Transducer for 3rd PFM1-A pressure port.
<b>REPLACEMENT PARTS</b>
Marine Antenna - Option 1 - "Whip" Style - 4G Magnetic Mount Antenna
Marine Antenna - Option 2 - "Hinge" Style - 4G External Cellular
Marine/GPS Antenna - Option 3 - "Puck" Style - Surface LTE,GNSS Screw Mount
Marine/GPS Antenna - Option 4 - "Stub" Style - LTE, GNSS Terminal Mount
Antenna - EXT,GNSS TERMINAL ANTENNA
Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT
Cement external Pressure Transducer for PFM1-A pressure port. (Requires Factory Calibration)
Battery Replacement - Note: 2x required for PFM1 replacement
<b>DATA SERVICES</b>
Items in this section are EXCLUDED from Pricing Agreements
<b>NEW GCRVIEW SETUP</b>
View configuration and setup - One time per new GCRView region Please request an "Information for GCRView Account Setup" form***
<b>GNEP CELLULAR</b>
<b>Service Plans:</b>
Manager cellular annual data hosting services - 1 year - Max. 8 calls per day.
Manager cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload)
<b>HARDWARE</b>
Items in this section are included in Pricing Agreements. Please see the Installation Accessories section for more options.
<b>1" SENSOR</b>
<b>PFM1 REQUIRED (Not Included in Pricing)</b>
Pressure able for mains ranging from 90 mm to 125 mm (3.54" to 4.92")
Pressure able for mains ranging from 126 mm to 175 mm (4.96" to 6.89")
Pressure able for mains ranging from 176 mm to 253 mm (6.93" to 8.86")
Pressure able for mains ranging from 226 mm to 275 mm (8.90" to 10.83")
Pressure able for mains ranging from 276 mm to 325 mm (10.87" to 12.79")
<b>1.5" SENSOR</b>
<b>PFM1 REQUIRED (Not Included in Pricing)</b>
Pressure able for mains ranging from 326 mm to 375 mm (12.83" to 14.76")
Pressure able for mains ranging from 376 mm to 425 mm (14.80" to 16.73")
Pressure able for mains ranging from 426 mm to 475 mm (16.77" to 18.70")

**pe**

le for mains ranging from 476 mm to 525 mm (18.74" to 20.67")

**pe**

le for mains ranging from 576 mm to 625 mm (22.68" to 24.61")

**pe**

le for mains ranging from 876 mm to 925 mm (34.49" to 36.42")

**pe**

le for mains ranging from 1026 mm to 1075 mm (40.39" to 42.32")

**pe**

le for mains ranging from 1176 mm to 1225 mm (46.3" to 48.23")

**pe**

le for mains ranging from 1276 mm to 1325 mm (50.24" to 52.16")

**pe**

le for mains ranging from 1476 mm to 1525 mm (58.11" to 60.04")

## **INSTALLATION ACCESSORIES & REPLACEMENT PARTS**

Tronic to Mobiltex Flow Cable Adapter

æ-Mag Installation Tool

æ-Mag Communication/Programming Tool

æ-Mag Compression Seal

Caliper - 1" NPT Thread

Caliper - 1.5" NPT Thread

Caliper - 2" NPT Thread

	USD
	\$ 1531.67
	\$ 2,115.00
	\$ 2,125.00
	\$ 3,200.00
	\$ 2,300.00
	\$ 2,950.00
***	
	\$ 225.00
	\$ 49.00
	\$ 49.00
	\$ 17.00
	\$ 8.00
	\$ 300.00
	\$ 65.00
	\$ 8.00
	\$ 160.00
	\$ 210.00
	\$ 110.00
	\$ 100.00
	\$ 725.00

	\$ 18.00
	\$ 8.00
	\$ 300.00
	\$ 65.00
	\$ 8.00
	\$ 165.00
	\$ 725.00
	\$ 310.00
One Time	
	\$ 125.00
	Per Year
	\$ 275.00
	\$ 320.00
	Per Year
	\$ 317.00
	\$ 370.00

	USD
	\$ 995.00
L01) & quick	\$ 1275.00
	\$ 1250.00
L01) & quick	\$ 1450.00
nician. ***	



	\$ 225.00
	\$ 50.00
	\$ 50.00
	\$ 210.00
	\$ 110.00
	\$ 100.00

tions.	
	USD
th extra	\$ 2,600.00
ith extra	\$ 3,550.00
	\$ 900.00
	\$ 610.00
	\$ 885.00
***	
	\$ 225.00
	\$ 50.00
	\$ 50.00
	\$ 20.00
	\$ 8.00
	\$ 300.00
	\$ 65.00
	\$ 8.00

	\$ 165.00
	\$ 210.00
	\$ 110.00
	\$ 100.00
	\$ 725.00

	\$ 20.00
	\$ 8.00
	\$ 300.00
	\$ 65.00
	\$ 8.00
	\$ 165.00
	\$ 725.00
	\$ 310.00

--	--

One Time	
	\$ 125.00

Per Year	
	\$ 475.00
	\$ 550.00

--	--

	USD
	\$ 27,000.00
	\$ 27,000.00
	\$ 2,700.00
	\$ 27,000.00
	\$ 27,000.00

	\$ 26,000.00
	\$ 29,000.00
	\$ 31,000.00

	<b>\$ 32,000.00</b>
	<b>\$ 35,000.00</b>
	<b>\$ 45,000.00</b>
	<b>\$ 48,000.00</b>
	<b>\$ 52,000.00</b>
	<b>\$ 55,000.00</b>
	<b>\$ 61,000.00</b>
	<b>\$ 470.00</b>
	<b>\$ 4,550.00</b>
	<b>\$ 475.00</b>
	<b>\$ 190.00</b>
	<b>\$ 2,750.00</b>
	<b>\$ 2,800.00</b>
	<b>\$ 2,900.00</b>

## Remote Monitoring / Data Logging for Water Networks - MSRP for USA and Canada Only

### REQUIREMENTS FOR ALL PFM1 PURCHASE ORDERS w/ COMMUNICATIONS

- Existing GCRView Account Information or New GCRView Configuration and Setup
- Data Service Plan selection [see DATA SERVICES section]

\*\*\*WE CANNOT PROCESS ORDERS WITHOUT THIS INFORMATION\*\*\*

### HARDWARE

Items in this section are included in Pricing Agreements.  
Please see the Installation Accessories section for more options.

Mobiltex Part #	REMOTE DATA LOGGERS	Contract
	Antenna Selection Required for Communication	
AGCR10011000	<b>PFM1-PF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Standard logger with single (1x) <b>internal</b> pressure port & single (1x) flow port, AT&T SIM Card & LCD display.	\$ 1,838.00
AGCR10111000	<b>PFM1-PxF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Standard logger with single (1x) <b>external</b> pressure port & single (1x) flow port & LCD display	\$ 2,538.00
AGCR11011000	<b>PFM1A-PPFF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Advanced logger with dual (2x) <b>internal</b> pressure ports & dual (2x) flow ports & LCD display	\$ 2,550.00
AGCR11111000	<b>PFM1A-PxPxFF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Advanced logger with dual (2x) <b>external</b> pressure ports & dual (2x) flow ports & LCD display	\$ 3,840.00
TRANSIENT DATA LOGGERS		
Antenna Selection Required for Communication		
AGCR13011000	<b>PFM1T-PF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Transient logger with single (1x) <b>internal</b> pressure port & single (1x) flow port & LCD display	\$ 2,758.00
AGCR13111000	<b>PFM1T-PxF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Transient logger with single (1x) <b>external</b> pressure port & single (1x) flow port & LCD display	\$ 3,538.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES

## Remote Monitoring / Data Logging for Water Networks - MSRP for USA and Canada Only

PROGRAMMERS		
***One Programming Configuration Interface strongly recommended per customer / system or installation technician. ***		
A15000GCR01	<b>IrDA Programmer</b> USB to IrDA communication cable. Allows for configuration using Windows based PC	\$ 270.00
INSTALLATION ACCESSORIES		
H3520100150	Female quick connect fitting with 1/4" BSP male thread	\$ 58.00
H3550161114	1/4" female BSP to 1/4" male NPT adaptor for use w/ quick connect fittings	\$ 58.00
E012B5006AA	Cellular Antenna - Option 1 - 4G MAGNETIC MOUNT ANTENNA	\$ 20.50
E012D00A0AA	Cellular Antenna - Option 2 - EXT,CELLULAR,4G,TERMINAL HINGE	\$ 9.50
E010B0022AA	Cellular/GPS Antenna - Option 3 - LTE,GNSS SCREW MOUNT - PUCK STYLE	\$ 350.00
A01100YB001	Cellular/GPS Antenna - Option 4 - LTE,GNSS TERMINAL MOUNT - STUB STYLE	\$ 75.50
E013B0002BA	GPS Antenna - EXT,GNSS TERMINAL ANTENNA	\$ 9.50
E01380TANGO	GPS Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT	\$ 192.50
W01551PFL01	Flow input cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models	\$ 250.00
W01G50GCR02	Coiled hose extension with quick release fittings	\$ 128.00
W01G50GCR03	Rigid hose extension with quick release fittings	\$ 118.00
O03609MBT02	External Pressure Transducer for 3rd PFM1-A pressure port.	\$ 870.00
REPLACEMENT PARTS		
E012B5006AA	Cellular Antenna - Option 1 - 4G MAGNETIC MOUNT ANTENNA	\$ 20.50
E012D00A0AA	Cellular Antenna - Option 2 - EXT,CELLULAR,4G,TERMINAL HINGE	\$ 9.50
E010B0022AA	Cellular/GPS Antenna - Option 3 - LTE,GNSS SCREW MOUNT - PUCK STYLE	\$ 350.00
A01100YB001	Cellular/GPS Antenna - Option 4 - LTE,GNSS TERMINAL MOUNT - STUB STYLE	\$ 75.50
E013B0002BA	GPS Antenna - EXT,GNSS TERMINAL ANTENNA	\$ 9.50
E01380TANGO	GPS Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT	\$ 192.50
O03609MBT02	Replacement external Pressure Transducer for PFM1-A pressure port. (Requires Factory Calibration)	\$ 870.00
B02440S2655	PFM1 Battery Replacement - Note: 2x required for PFM1 replacement	\$ 370.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES

## Remote Monitoring / Data Logging for Water Networks - MSRP for USA and Canada Only

DATA SERVICES		
NEW GCRVIEW SETUP		One Time
<b>GCRSETUP1</b>	GCRView configuration and setup - One time per new GCRView region ***Please request an "Information for GCRView Account Setup" form***	\$ 150.00
PFM1 CELLULAR		
	<b>Data Service Plans:</b>	<b>Per Year</b>
<b>GCR1PLAN011</b>	Non-Transient cellular annual data hosting services - 1 year - Max. 8 calls per day.	\$ 165.00
<b>GCR1PLAN012</b>	Non-Transient cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload).	\$ 190.00
PFM1-T (Transient) CELLULAR		
	<b>Data Service Plans:</b>	<b>Per Year</b>
<b>GCR1PLAN021</b>	Transient cellular annual data hosting services - 1 year - Max. 8 calls per day.	\$ 190.00
<b>GCR1PLAN022</b>	Transient cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload)	\$ 220.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES

## Portable Data Logging for Water Networks - MSRP for USA and Canada Only

HARDWARE		
Items in this section are included in Pricing Agreements. Please see the Installation Accessories section for additional options.		
Mobiltex Part #	LOCAL DATA LOGGERS	Contract
A1506040001	<b>PFL1</b> Local Communication Includes: Portable logger with single (1x) <b>internal</b> pressure port & single (1x) flow port	\$ 1,194.00
A20A0040001	<b>PFL1 - Kit</b> Local Communication Includes: Portable logger with single (1x) <b>internal</b> pressure port & single (1x) flow port, flow input cable (W01551PFL01) & quick connect fittings (H3520100150 & H3550161114)	\$ 1,528.00
A1506040002	<b>PFL1-X</b> Local Communication Includes: Portable logger with single (1x) <b>external</b> pressure port & single (1x) flow port	\$ 1,490.00
A20A0040002	<b>PFL1-X - Kit</b> Local Communication Includes: Portable logger with single (1x) <b>external</b> pressure port & single (1x) flow port, flow input cable (W01551PFL01) & quick connect fittings (H3520100150 & H3550161114)	\$ 1,740.00
PROGRAMMERS		
***One Programming Configuration Interface strongly recommended per customer / system or installation technician. ***		
A15000GCR01	<b>IrDA Programmer</b> USB to IrDA communication cable. Allows for configuration using Windows based PC	\$ 270.00
INSTALLATION ACCESSORIES		
H3520100150	Female quick connect fitting with 1/4" BSP male thread	\$ 58.00
H3550161114	1/4" female BSP to 1/4" male NPT adaptor for use w/ quick connect fittings	\$ 58.00
W01551PFL01	Flow input cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models	\$ 250.00
W01G50GCR02	Coiled hose extension with quick release fittings	\$ 128.00
W01G50GCR03	Rigid hose extension with quick release fittings	\$ 118.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES

## PRV Management Monitoring for Water Networks - MSRP for USA and Canada Only

### REQUIREMENTS FOR ALL PFM1-AC PURCHASE ORDERS w/ COMMUNICATIONS

- Existing GCRView Account Information or New GCRView Configuration and Setup
- Data Service Plan selection [see DATA SERVICES section]

\*\*\*WE CANNOT PROCESS ORDERS WITHOUT THIS INFORMATION\*\*\*

### HARDWARE

Items in this section are included in Pricing Agreements.  
Please see the Additional Parts section for more options.

Mobiltex Part #	REMOTE PRESSURE MANAGERS Antenna Selection Required for Communication	Contract
AGCR12011000	<b>PFM1AC-PPFF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Advanced logger for full modulation PRV manager with dual (2x) <b>internal</b> pressure ports & dual (2x) flow port with extra battery pack for solenoids	\$ 3,070.00
AGCR12111000	<b>PFM1AC-PxPxFF</b> Cellular Communication - <b>Requires Antenna</b> Includes: Advanced logger for full modulation PRV manager with dual (2x) <b>external</b> pressure ports & dual (2x) flow port with extra battery pack for solenoids	\$ 4,260.00
<b>PRV Management Hardware</b>		
A20A80GCR06	PRV Management System Solenoid Box for use with PFM1-AC	\$ 1,790.00
A20A80GCR09	PRV Installation Kit Includes: (3-way valve, filters, misc. connectors)	\$ 730.00
A15000GCR02	PRV Pilot - Hydraulic Actuator - 3/8" MPT Pilot Screw	\$ 1,060.00
<b>PROGRAMMERS</b>		
***One Programming Configuration Interface strongly recommended per customer / system or installation technician. ***		
A15000GCR01	<b>IrDA Programmer</b> USB to IrDA communication cable. Allows for configuration using Windows based PC	\$ 270.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES



## PRV Management Monitoring for Water Networks - MSRP for USA and Canada Only

INSTALLATION ACCESSORIES		
H3520100150	Female quick connect fitting with 1/4" BSP male thread	\$ 58.00
H3550161114	1/4" female BSP to 1/4" male NPT adaptor for use w/ quick connect fittings	\$ 58.00
E012B5006AA	Cellular Antenna - Option 1 - 4G MAGNETIC MOUNT ANTENNA	\$ 20.50
E012D00A0AA	Cellular Antenna - Option 2 - EXT,CELLULAR,4G,TERMINAL HINGE	\$ 9.50
E010B0022AA	Cellular/GPS Antenna - Option 3 - LTE,GNSS SCREW MOUNT - PUCK STYLE	\$ 350.00
A01100YB001	Cellular/GPS Antenna - Option 4 - LTE,GNSS TERMINAL MOUNT - STUB STYLE	\$ 75.50
E013B0002BA	GPS Antenna - EXT,GNSS TERMINAL ANTENNA	\$ 9.50
E01380TANGO	GPS Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT	\$ 192.50
W01551PFL01	Flow input cable(4-pin Thread x bare wires) - For PFM1 & PFL1 models	\$ 250.00
W01G50GCR02	Coiled hose extension with quick release fittings	\$ 128.00
W01G50GCR03	Rigid hose extension with quick release fittings	\$ 118.00
O03609MBT02	External Pressure Transducer for 3rd PFM1-A pressure port.	\$ 870.00
REPLACEMENT PARTS		
E012B5006AA	Cellular Antenna - Option 1 - 4G MAGNETIC MOUNT ANTENNA	\$ 20.50
E012D00A0AA	Cellular Antenna - Option 2 - EXT,CELLULAR,4G,TERMINAL HINGE	\$ 9.50
E010B0022AA	Cellular/GPS Antenna - Option 3 - LTE,GNSS SCREW MOUNT - PUCK STYLE	\$ 350.00
A01100YB001	Cellular/GPS Antenna - Option 4 - LTE,GNSS TERMINAL MOUNT - STUB STYLE	\$ 75.50
E013B0002BA	GPS Antenna - EXT,GNSS TERMINAL ANTENNA	\$ 9.50
E01380TANGO	GPS Antenna - TANGO20/3M/SMAM/S/S/26 MAGNETEC MOUNT	\$ 192.50
O03609MBT02	Replacement external Pressure Transducer for PFM1-A pressure port. (Requires Factory Calibration)	\$ 870.00
B02440S2655	PFM1 Battery Replacement - Note: 2x required for PFM1 replacement	\$ 370.00
DATA SERVICES		
Items in this section are EXCLUDED from Pricing Agreements		
NEW GCRVIEW SETUP		One Time
GCRSETUP1	GCRView configuration and setup - One time per new GCRView region ***Please request an "Information for GCRView Account Setup" form***	\$ 150.00
GNEP CELLULAR		
Data Service Plans:		Per Year
GCR1PLAN01	PRV Manager cellular annual data hosting services - 1 year - Max. 8 calls per day.	\$ 285.00
GCR1PLAN02	PRV Manager cellular annual data hosting services - 1 year - Up to 100 calls per day (15-mins upload)	\$ 330.00

STRICTLY CONFIDENTIAL - DO NOT DISTRIBUTE  
OUTSIDE AUTHORIZED REPRESENTATIVES

Category	Sub-Category	Item Number
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-15
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-25
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-C
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-15
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-25
<b>Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-C
<b>Systems</b>	H2S	SC-D-HS1000-15
<b>Systems</b>	H2S	SC-Q-HS1000-15
<b>Systems</b>	Long Range Ultrasonic	SC-D-L-25
<b>Systems</b>	Long Range Ultrasonic	SC-Q-L-25
<b>Systems</b>	Subsonic in a Stainless Steel NEMA Enclosure	SC-SS-H-SB-25
<b>Systems</b>	Subsonic in a Stainless Steel NEMA Enclosure- Custom length DSM	SC-SS-H-SB-C
<b>Systems</b>	H2S Sensor in a Stainless Steel NEMA Enclosure	SC-SS-H-HS1000-15
<b>Systems</b>	Long-range Ultrasonic in a Stainless Steel NEMA Enclosure	SC-SS-H-L-25
<b>Systems</b>	Long-range Ultrasonic in a Stainless Steel NEMA Enclosure	SC-SS-H-L-00
<b>Systems</b>	Pressure Sensor in a Stainless Steel NEMA Enclosure	SC-SS-H-P-50
<b>Systems</b>	Pressure Sensor System Mounted on Backplate	SC-BP-H-P-50

<b>Systems</b>	Long Range Ultrasonic System Mounted on Backplate	SC-BP-H-L-25
<b>Systems</b>	UnderCover System	UC-D-MD
<b>Systems</b>	UnderCover System	UC-Q-MD
<b>Systems</b>	Standard Ultrasonic	SC-Q-S-15
<b>Systems</b>	Standard Ultrasonic	SC-Q-S-25

Notes:

Level, FLOE, Tank, and Weir systems are sold with one (1) year Parts Protection  
H2S Systems are sold with one (1) year Parts Protection and one (1) year Pov

Description	Unit of Measure	2025 Price
Includes E-Box, PowerPack, 15 foot SubSonic DSM, Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 6,340.10
Includes E-Box, PowerPack, 25 foot SubSonic DSM, Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 6,357.00
Includes E-Box, PowerPack, custom length SubSonic DSM (3' to 100'), Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 6,601.40
Includes E-Box, PowerPack, 15 foot SubSonic DSM, Bracket, E-Square antenna, installation kit.	each (ea)	\$ 6,340.10
Includes E-Box, PowerPack, 25 foot SubSonic DSM, Bracket, E-Square antenna, installation kit.	each (ea)	\$ 6,357.00
Includes E-Box, PowerPack, custom length SubSonic DSM (3' to 100'), Bracket, E-Square antenna, installation kit.	each (ea)	\$ 6,601.40
Includes E-Box, PowerPack, H2S Sensor 0 -1000 PPM, 15' Sensor Cable, bracket kit, E-DOT antenna, installation kit.	each (ea)	\$ 6,357.00
Includes E-Box, PowerPack, H2S Sensor 0 -1000 PPM, 15' Sensor Cable, bracket kit, E-Square antenna, installation kit.	each (ea)	\$ 6,357.00
Includes E-Box, PowerPack, 25' Long Range DSM , bracket kit, E-Dot antenna, installation kit.	each (ea)	\$ 6,990.10
Includes E-Box, PowerPack, 25' Long Range DSM , bracket kit, E-Square antenna, installation kit.	each (ea)	\$ 6,990.10
Includes Enclosure, E-Box, PowerPack, 25' SubSonic DSM, Helical antenna.	each (ea)	\$ 8,226.40
Includes Enclosure, E-Box, PowerPack, Custom length SubSonic DSM (3' to 100'), Helical antenna.	each (ea)	\$ 8,468.20
Includes Enclosure, E-Box, PowerPack, 15' Sensor Cable, H2S Sensor 0 - 1000 PPM, Helical antenna.	each (ea)	\$ 8,629.40
Includes Enclosure, E-Box, PowerPack, 25' Long Range DSM, Helical antenna.	each (ea)	\$ 8,859.50
Includes Enclosure, E-Box, PowerPack, 0' Long Range DSM, Helical antenna.	each (ea)	\$ 8,819.20
Includes Enclosure, E-Box, PowerPack, 50 ft 0-500 psi external pressure sensor, Helical antenna.	each (ea)	\$ 10,107.50
Includes System mounted on a stainless steel backplate with no NEMA enclosure. Includes 9' Helical antenna, E-Box Controller, PowerPack, and 50 ft 0-500 psi external pressure sensor.	each (ea)	\$ 9,379.50

Includes E-Box, Power Pack, EH Antenna, Stainless Steel backplate (does not include NEMA enclosure) and one (1) year parts warranty. Includes Long Range Ultrasonic Sensor and 25' cable.	each (ea)	\$ 9,956.70
Includes E-Box, Power Pack, EH Antenna, Stainless Steel backplate and one (1) year parts warranty.	each (ea)	\$ 4,729.40
Includes: E-Box, PowerPack, Undermount bracket kit, (1) E-Square antenna, installation kit.	each (ea)	\$ 4,729.40
Includes E-Box, PowerPack, 15' Standard DSM, bracket kit, E-Square antenna, installation kit.	each (ea)	\$ 6,340.10
Includes E-Box, PowerPack, 25' standard DSM, bracket kit, E-Square antenna, installation kit.	each (ea)	\$ 6,357.00

on and two (2) years Power Protection  
 ver Protection

Category	Sub-Category	Item Number
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-15-IS
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-25-IS
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-C-IS
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-15-IS
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-Q-SB-25-IS
<b>IS- Systems</b>	SubSonic Dual Sensor (Ultrasonic & Pressure)	SC-D-SB-CUST-IS
<b>IS - Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-15-IS
<b>IS - Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-25-IS
<b>IS - Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-C-IS
<b>IS - Parts</b>	Ultrasonic Sensor	DSM-SR-15-IS
<b>IS - Parts</b>	Ultrasonic Sensor	DSM-SR-25-IS
<b>IS - Parts</b>	Ultrasonic Sensor	DSM-SR-CUST-IS
<b>IS - Parts</b>	Battery - PowerPack	PP-5C-IS
<b>IS - Parts</b>	System Controller	EB-603-IS-0
<b>IS - Warranties</b>	Power Warranty	PW-SC1-IS
<b>IS - Warranties</b>	Power Warranty	PW-SC2-IS
<b>IS - Warranties</b>	Power Warranty	PW-SC3-IS
<b>IS - Warranties</b>	System Warranty	EW-SC1-IS
<b>IS - Warranties</b>	System Warranty	EW-SC2-IS
<b>IS - Warranties</b>	System Warranty	EW-SC3-IS

Notes:

All SmartCover antennas can be used for IS-Certified products.

Description	Unit of Measure	2025 Price
IS Certified. Includes E-Box, PowerPack, 15 foot SubSonic DSM, Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 6,890.00
IS Certified. Includes E-Box, PowerPack, 25 foot SubSonic DSM, Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 6,956.30
IS Certified. Includes E-Box, PowerPack, custom length SubSonic DSM (3' to 100'), Bracket, E-Dot antenna, installation kit.	each (ea)	\$ 7,200.70
IS Certified. Includes E-Box, PowerPack, 15 foot SubSonic DSM, Bracket, E-Square antenna, installation kit.	each (ea)	\$ 6,890.00
IS Certified. Includes E-Box, PowerPack, 25 foot SubSonic DSM, Bracket, E-Square antenna, installation kit.	each (ea)	\$ 6,956.30
IS Certified. Includes E-Box, PowerPack, custom length SubSonic DSM (3' to 100'), Bracket, E-Square antenna, installation kit.	each (ea)	\$ 7,200.70
IS Certified. Includes DSM SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, 15 foot cable.	each (ea)	\$ 1,899.30
IS Certified. Includes SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, 25 foot cable.	each (ea)	\$ 1,946.10
IS Certified. Includes SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, Cable lengths: 3' to 100'. (Add the cable length to the description.)	each (ea)	\$ 2,191.80
IS Certified. Includes Ultra-Sonic Sensor, Cable length: 15'	each (ea)	\$ 1,899.30
IS Certified. Includes Ultra-Sonic Sensor, Cable length: 25'	each (ea)	\$ 1,946.10
IS Certified. Includes Ultra-Sonic Sensor, Customized cable length (Add the cable length to the description.)	each (ea)	\$ 2,191.80
IS Certified. PowerPack™ 5 cell lithium thionyl chloride battery pack	each (ea)	\$ 899.60
IS Certified. Includes "E-Box" System controller.	each (ea)	\$ 3,606.20
IS Certified. Covers PowerPack replacement- PARTS ONLY. One year rate per site.	each (ea)	\$ 500.50
IS Certified. Covers PowerPack replacement- PARTS ONLY. Two year rate per site.	each (ea)	\$ 969.80
IS Certified. Covers PowerPack replacement- PARTS ONLY. Three year rate per site.	each (ea)	\$ 1,422.20
IS Certified. Covers E-Box, DSM, antenna & brackets. Does not cover PowerPack- PARTS ONLY. One year rate per site.	each (ea)	\$ 712.40
IS Certified. Covers E-Box, DSM, antenna & brackets. Does not cover PowerPack- PARTS ONLY. Two year rate per site.	each (ea)	\$ 1,381.90
IS Certified. Covers E-Box, DSM, antenna & brackets. Does not cover PowerPack- PARTS ONLY. Three year rate per site.	each (ea)	\$ 2,030.60



Category	Sub-Category	Item Number
ASM	SmartLevel	ASM-SC1
ASM	SmartLevel	ASM-SC2
ASM	SmartLevel	ASM-SC3
ASM	SmartFLOE	ASM-SF1
ASM	SmartFLOE	ASM-SF2
ASM	SmartFLOE	ASM-SF3
ASM	SmartVault	ASM-SV1
ASM	SmartVault	ASM-SV2
ASM	SmartVault	ASM-SV3
ASM	H2Scents	ASM-HS1
ASM	H2Scents	ASM-HS2
ASM	H2Scents	ASM-HS3
ASM	H2Scents Calibration Service	H2Scents-SCP1
ASM	H2Scents Calibration Service	H2Scents-SCP2
ASM	H2Scents Calibration Service	H2Scents-SCP3
ASM	Reactivation	ASM-SC-RA
ASM	Upgrade to FLOE	ASM-USF
Other	Initial Set-Up and Training	IST

Notes:

For new customers on orders over 5 units, Channel Partner  
Use ASM-SV1 for UnderCover (UC-D-MD or UC-Q-MD).

Description	Years	Unit of Measure
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	1	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	2	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	3	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	1	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	2	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	3	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	1	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	2	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	3	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	1	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED	2	each (ea)
Includes website access, satellite connectivity, data charting, data storage, SmartTrend, updates, phone/online tech support. REQUIRED.	3	each (ea)
Includes sensor replacement hardware up to four (4) times per year. REQUIRED SERVICE (LABOR NOT INCLUDED)	1	each (ea)
Includes sensor replacement hardware up to four (4) times per year. REQUIRED SERVICE (LABOR NOT INCLUDED)	2	each (ea)
Includes sensor replacement hardware up to four (4) times per year. REQUIRED SERVICE (LABOR NOT INCLUDED)	3	each (ea)
Includes ASM re-activation fee.	NA	each (ea)
Includes ASM upgrade from SmartLevel to SmartFLOE (software upgrade).	1	each (ea)
Includes one time fee for initial set up and training.	NA	each (ea)



Data Acquisition and Transmission Timing	2025 Price
5min-10min-1hr	\$ 559.00
5min-10min-1hr	\$ 1,085.50
5min-10min-1hr	\$ 1,592.50
5min-10min-1hr	\$ 913.90
5min-10min-1hr	\$ 1,770.60
5min-10min-1hr	\$ 2,600.00
1hr-1hr-6hr	\$ 458.90
1hr-1hr-6hr	\$ 889.20
1hr-1hr-6hr	\$ 1,306.50
15min-15 min-90min	\$ 559.00
15min-15 min-90min	\$ 1,085.50
15min-15 min-90min	\$ 1,592.50
NA	\$ 2,137.20
NA	\$ 4,145.70
NA	\$ 6,090.50
NA	\$ 117.00
5min-10min-1hr	\$ 913.90
NA	\$ 2,004.60

Category	Sub-Category	Item Number
<b>Warranties</b>	System Extended Parts Warranty	EW-SC1
<b>Warranties</b>	System Extended Parts Warranty	EW-SC2
<b>Warranties</b>	System Extended Parts Warranty	EW-SC3
<b>Warranties</b>	Power Extended Warranty: Level FLOE Tank	PW-5C1
<b>Warranties</b>	Power Extended Warranty: Level FLOE Tank	PW-5C2
<b>Warranties</b>	Power Extended Warranty: Level FLOE Tank	PW-5C3
<b>Warranties</b>	H2Scents Extended Power Warranty	PW-HS1
<b>Warranties</b>	H2Scents Extended Power Warranty	PW-HS2
<b>Warranties</b>	H2Scents Extended Power Warranty	PW-HS3

Notes:

Channel Partners receive a 20% discount on additional warranties sold for r  
Warranties sold as part of a renewal package are not discounted.

Years	2025 Price
1	\$ 634.40
2	\$ 1,228.50
3	\$ 1,804.40
1	\$ 315.90
2	\$ 612.30
3	\$ 898.30
1	\$ 417.30
2	\$ 808.60
3	\$ 1,188.20

new systems at the time of sale.

## Environmental Data

Category	Sub-Category	Item Number	Description	Years
ASM	<b>SmartRain</b>	ASM-RD-1Y	Includes rain data service for one site (1 sq.km.)	1
ASM	<b>SmartRain</b>	ASM-RD-2Y	Includes rain data service for one site (1 sq.km.)	2
ASM	<b>SmartRain</b>	ASM-RD-3Y	Includes rain data service for one site (1 sq.km.)	3
ASM	<b>StreamWatch</b>	ASM-SWD-1Y	Includes stream data service per site.	1
ASM	<b>StreamWatch</b>	ASM-SWD-2Y	Includes stream data service per site.	2
ASM	<b>StreamWatch</b>	ASM-SWD-3Y	Includes stream data service per site.	3
ASM	<b>SmartTide</b>	ASM-TD-1Y	Includes tidal data service.	1
ASM	<b>SmartTide</b>	ASM-TD-2Y	Includes tidal data service.	2
ASM	<b>SmartTide</b>	ASM-TD-3Y	Includes tidal data service.	3



Unit of Measure	2025 Price
each (ea)	\$ 163.80
each (ea)	\$ 316.40
each (ea)	\$ 462.00
each (ea)	\$ 163.80
each (ea)	\$ 316.40
each (ea)	\$ 462.00
each (ea)	\$ 163.80
each (ea)	\$ 316.40
each (ea)	\$ 462.00

Category	Sub-Category	Item Number
<b>Parts</b>	System Controller	EB-603
<b>Parts</b>	Battery - PowerPack	PP-5C
<b>Parts</b>	Adhesive - Small	AA-050
<b>Parts</b>	Adhesive Tips - Small	AA-DT5-050
<b>Parts</b>	Adhesive - Large	AA-400
<b>Parts</b>	Adhesive Tips - Large	AA-DT5-400
<b>Parts</b>	Adhesive Gun	ADG-400
<b>Parts</b>	Adhesive Gun Adapter	ADG-050
<b>Parts</b>	Antennae Installation Kit	AIK-HAT
<b>Parts</b>	Antennae Installation Kit Manhole for E-Dot or E-Square:	AIK-MAN
<b>Parts</b>	Antenna - Dot - Round	ANT-ED
<b>Parts</b>	Antenna - Dot - Round 6' Cable	ANT-ED-6
<b>Parts</b>	Antenna - Dot - Round Custom Length Cable	ANT-ED-CUST
<b>Parts</b>	Antenna - Square - Green	ANT-EQ
<b>Parts</b>	Antenna - Square - Green Custom Length Cable	ANT-EQ-CUST
<b>Parts</b>	Antenna Cable Wrap	BT-5
<b>Parts</b>	Bracket Hardware Kit	BHK-1
<b>Parts</b>	Universal Bracket Kit	BK-602
<b>Parts</b>	Bracket - Top	BT-602
<b>Parts</b>	Bracket Adaptor - Flip	BA-602
<b>Parts</b>	Bracket - Bottom	BB-602
<b>Parts</b>	Bracket Clamps	SRC-5
<b>Parts</b>	Side Mount Bracket Kit	SMB - KIT
<b>Parts</b>	Mounting Protection Slide Impact Shield	SIS - KIT
<b>Parts</b>	Mounting Antennae Bracket	BCK-Q4
<b>Parts</b>	Mounting Antennae Bracket	BCK-Q7
<b>Parts</b>	Distance Sensing Module (DSM) Long Range	DSM-LR-25
<b>Parts</b>	Distance Sensing Module (DSM) Long Range	DSM-LR-CUST
<b>Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-15

<b>Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-25
<b>Parts</b>	Distance Sensing Module (DSM) SubSonic	DSM-SB-CUST
<b>Parts</b>	H2S Sensor	HS -1000
<b>Parts</b>	H2S Cable	HSSC-15
<b>Parts</b>	H2S Cable	HSSC-25
<b>Parts</b>	H2S Cable	HSSC-CUST
<b>Parts</b>	SmartCover Systems Street Markers Kit	SCSM - 10
<b>Parts</b>	STACHE Cable	STACHE Cable
<b>Parts</b>	Firmware Adapter Cable	SUE-CB-DB9
<b>Parts</b>	Gender Connector Cable	SUE-GC
<b>Parts</b>	Field Test Kit	Field Test Kit
<b>Parts</b>	Transfer of Hardware/Services	TRNF

Notes:

Parts are discounted at 20% to Channel Partners. (Freight not included in |

Description
Includes "E-Box" System controller.
Includes 5 cell lithium thionyl chloride battery that works on all SmartCover systems.
Includes acrylic adhesive, two part for antenna mounting, 50 ml cartridge with dispensing tip (1 of each).
Includes dispensing tips for acrylic adhesive (50mL) package of five (5).
Includes acrylic adhesive, two part for antenna mounting, 400 ml cartridge with dispensing tip (1 of each).
Includes dispensing tips for acrylic adhesive (400mL). Package of five (5).
Includes adhesive gun dispenser for 400 nml cartridge
Includes adhesive dispensing gun adapter, for 50 ml cartridge. For standard caulking gun.
Includes Hatch and Pamrex cover for E-Dot, 2" SS bolts and set of nuts & washers (2 ea), 7/8" bi-metal hole drill bit (1 ea), 1/4" pilot drill bit (1ea), 4" 316 SS flat bar (1 ea), two-part adhesive and dispensing tip.
Includes two-part adhesive, dispensing gun adaptor and tip. 4" butyl tape strip, 3/8" cobalt-tip drill bit.
Includes antenna- E-Dot, traffic rated, 1.5" diameter, 1/2" (avg.) thick. For use in areas using snow plows.
Includes E-Dot antenna cable, traffic rated, 1.5", 1/2" (avg.) thick. For use in areas using snow plows, or stealthy applications. Cable Length = 6'
Includes E-Dot antenna cable, traffic rated, 1.5", 1/2" (avg.) thick. For use in areas using snow plows, or stealthy applications. Cable Length = XXX (up to 25')
Includes antenna- E-Square. Traffic rated, green reflector. Dimensions: 4" x 3.5" x 5/8" (W x L x H).
Includes E-Square antenna cable . Traffic rated, green reflector. Dimensions: 4" x 3.5" x 5/8" Cable Length = XXX (up to 25')
Includes butyl tape, 4" coaxial strip. Package of five (5)
Includes 2.5" SS bolts (2 ea.) 2" SS bolts (2 ea.) Nylon locking nuts (4ea) 1/4 - 20 nuts (2ea) Washers (2ea) 1/4" drill cobalt-tip bit (1 ea.) Zip-ties (3 ea.)
Includes BT-602 (top), BB-602(bottom), BA-602 (adaptor), BHK-1 Hardware Kit.
Includes SS strain relief (clamp) and 1/4" Nylon locking nut. Couples with BB-602 bottom.
Includes "flip" adaptor used for applications where bracket is mounted to manhole vein
Includes couples with BT-602 top.
Includes set of five (5) strain relief clamps.
Includes Base Bracket (Adapter), side bracket and hardware
Includes 3 Slide Impact Hexagon Posts and Mounting Hardware
Includes 4" bracket for mounting an antenna under a composite cover.
Includes 7" bracket for mounting an antenna under a composite cover
Includes DSM Long Range: 11" to 240" (20') range. 25' cable.
Includes DSM Long Range Cable - lengths: 3' to 100'. (Add cable length to description.)
Includes DSM SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, 15 foot cable.

Includes SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, 25 foot cable.
Includes SubSonic Systems - Dual Sensor - Ultra-Sonic & Pressure, Cable lengths: 3' to 100'. (Add the cable length to the description.)
Includes Hydrogen Sulfide Sensor.
Includes Hydrogen Sulfide Sensor Cable - 15 Foot.
Includes Hydrogen Sulfide Sensor Cable - 25 Foot.
Includes Hydrogen Sulfide Sensor Cable - State Length 25-50 foot
Includes ten (10) markers and one (1) tube of marker glue.
Includes the cable that connects the E-box to your existing 'stache' or with the Firmware Adapter Cable (below) that connects the E-box to your computer to perform the firmware update.
Includes USB-Serial adapter cable used to attach the E-Box to a computer in conjunction with the 'stache' cable above to perform the firmware update . (To note: both this cable and the 'stache' cable are needed)
Includes gender changer to attach your 'stache' unit directly to your computer. The Firmware Adapter Cable is required.
Field test kit for installers to use for troubleshooting.
Transfer of SmartCover Hardware/Services from one Customer to another

pricing.)

Unit of Measure	2025 Price
each (ea)	\$ 3,402.00
each (ea)	\$ 611.80
each (ea)	\$ 44.80
each (ea)	\$ 28.00
each (ea)	\$ 120.40
each (ea)	\$ 28.00
each (ea)	\$ 288.40
each (ea)	\$ 26.60
each (ea)	\$ 249.20
each (ea)	\$ 201.60
each (ea)	\$ 421.40
each (ea)	\$ 512.40
each (ea)	\$ 512.40
each (ea)	\$ 421.40
each (ea)	\$ 512.40
Pack of 5	\$ 28.00
each (ea)	\$ 85.40
each (ea)	\$ 236.60
each (ea)	\$ 102.20
each (ea)	\$ 63.00
each (ea)	\$ 102.20
Pack of 5	\$ 33.60
each (ea)	\$ 364.00
each (ea)	\$ 338.80
each (ea)	\$ 57.40
each (ea)	\$ 63.00
each (ea)	\$ 2,601.20
each (ea)	\$ 2,917.60
each (ea)	\$ 1,869.00

each (ea)	\$ 1,919.40
each (ea)	\$ 2,233.00
each (ea)	\$ 1,153.60
each (ea)	\$ 469.00
each (ea)	\$ 555.80
each (ea)	\$ 833.00
each (ea)	\$ 329.00
each (ea)	\$ 58.80
each (ea)	\$ 54.60
each (ea)	\$ 36.40
each (ea)	\$ 1,656.20
each (ea)	\$ 700.00